BERJAYA®



QUALITY COMMERCIAL KITCHEN EQUIPMENT

2024
EDITION

CONTENT

Page

1 Soup Kettle / Rice Warmer / Rice Cooker / Warmer / Chafing Dish

2 Chafing Dish / Insert Soup Kettle / Vegetable Pan & Cover / Perforated Food Pan

3 Deep Fryer / Induction Deep Fyer / Wok Induction Cooker / Induction Cooker / Induction Cooker ~ Built-in

4 Waffle Baker / Hot Dog Warmer with Cover / Pop Corn Machine / Pre-Rinse Spray Faucet / Coffee Warmer & Decantor / Ice Shaver (Coarse) / Ice Shaving Machine / Commercial Blender / Juice Extractor with Pulp Container / Buffet Juice Dispenser

5 Water Dispenser / Salad Showcase / Sushi Showcase / Display Cooler / Display Warmer / Plate Warmer

6 Water Boiler / Water Urn

7 Spiral Mixer (Manual Control / Digital Control)

8 Bakery Mixer without Netting

9 Bakery Mixer with Netting

10 Electrical Baking Oven

11 Gas Heated Baking Oven

12 Electrical Baking Oven / Baking Oven + Proofer / Proofer with Humidifier

13 Dough Divider / Semi Auto Dough Divider Rounder / Dough Moulder / Dough Sheeter / Conveyor Toaster / Bread Slicer / Toaster / Pizza Oven / Convection Oven

14 Evaporative Air Cooler / Insect Killer / Noodle Machine / Sugar Cane Juice Machine / Vacuum Packing Machine

15 Meat Slicing Machine / Meat Mincer / Bone Saw / Feather Removal Machine / Potato & Vegetable Peeler / Vegetable Preparation Machine

16 Four Glass Display Chiller / Display Chiller (Piping System & Blower System) / Juscool Display Chiller (Blower System) / Wine Cooler

17 Ice Cream Machine / Back Bar Cooler (Blower System) / Commercial Automatic Dish Washer

18 Ice Machine

19 Ashtray Dustbin / Stainless Steel Menu Stand / Stainless Steel Cooling Rack (Knock Down) / Shelving Rack

20 Stainless Steel Service, Seasoning & Dining Trolley (Knock Down) / Cutlery Trolley (knock Down)

21 Stainless Steel Baby Chair / Stainless Steel Rectangular Table and Chair / Fibreglass Rectangular Table with 4 Plastic V-Chairs / Fibreglass Set with Individual Seat

As Product improvement is an on going process, we reserve the right to change specifications or design without notice



Soup Kettle

Model	BJY-9SK
Capacity (Litres)	9.0
Voltage / Phase (VPh)	220~240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	360Ø x 370
Packing Dimension (mm)	380 x 380 x 420
Weight (Kg)	8.5



Soup Kettle

Model	BJY-11SK-BK
Capacity (Litres)	11
Voltage / Phase (VPh)	220~240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	315Ø x 355
Packing Dimension (mm)	350 x 350 x 355
Weight (Kg)	6

* Stainless Steel Body with Coating Black



Soup Kettle

Model	BJY-11SK-SS
Capacity (Litres)	11
Voltage / Phase (VPh)	220~240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	315Ø x 355
Packing Dimension (mm)	350 x 350 x 355
Weight (Kg)	6

* Stainless Steel Body with Satin Polishing



CE

Commercial Electrical Rice Warmer

Model	BJY-ERW13
Capacity (Litres)	13
Voltage / Phase (VPh)	220~240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	455Ø x 355
Packing Dimension (mm)	455 x 455 x 410
Weight (Kg)	9.5
Gross Weight (Kg)	12

* Stain with coaling



CE

Commercial Electrical Rice Cooker

Model	BJY-ERC64-N
Capacity (Litres)	8.5 (45 persons)
Voltage / Phase (VPh)	220~240 / 1
Frequency (Hz)	50 / 60
Power (W)	2650
Machine Dimension (mm)	460 x 505 x 380
Packing Dimension (mm)	490 x 490 x 325
Weight (Kg)	10.2



Commercial Gas Rice Cooker

Model	BJY-GRC60
Capacity (Litres)	10 (50-60 persons)
Gas	LPG
Rated Heat (Kw)	8.7
Rated Gas Pressure (Kpa)	2.8
Machine Dimension (mm)	550Ø x 450
Packing Dimension (mm)	515 x 515 x 430
Weight (Kg)	13.9



Warmer

Model	BJY-W77
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	1200
Dimension (mm)	570 x 370 x 230



Chafing Dish

Model	BJY-CD
Capacity (Litres)	9
Machine Dimension (mm)	575 x 350 x 330
Packing Dimension (mm)	580 x 360 x 170

*with 1 full size G/N pan



Oblong Round Chafing Dish ~ Full Roll Top Cover

Model	BJY-RTCD-O
Capacity (Litres)	9
Machine Dimension (mm)	625 x 490 x 400
Packing Dimension (mm)	730 x 490 x 340



Round Chafing Dish ~ Full Top Cover

Model	BJY-RTCD-R
Capacity (Litres)	6
Machine Dimension (mm)	540 x 485 x 490
Packing Dimension (mm)	530 x 530 x 350



Stainless Steel Chafing Dish With Lid Knob

Model	**BJY-CD35**
Capacity (Litres)	3.5
Machine Dimension (mm)	420 x 340 x 300
Packing Dimension (mm)	360 x 360 x 240



Stainless Steel Chafing Dish With Lid Knob

Model	**BJY-CD50**
Capacity (Litres)	5
Machine Dimension (mm)	420 x 340 x 300
Packing Dimension (mm)	360 x 360 x 260



Stainless Steel Chafing Dish With Lid Knob

Model	**BJY-CD75**
Capacity (Litres)	7.5
Machine Dimension (mm)	420 x 340 x 330
Packing Dimension (mm)	360 x 360 x 280



Stainless Steel Chafing Dish With Lid Knob

Model	**BJY-CD135**
Capacity (Litres)	13.5
Machine Dimension (mm)	420 x 340 x 400
Packing Dimension (mm)	360 x 360 x 370



Stainless Steel Insert Soup Kettle

Model	**BJY-PSK7**
Capacity (Litres)	7
Machine Dimension (mm)	310 x 240 x 340
Packing Dimension (mm)	260 x 260 x 360



Stainless Steel Insert Soup Kettle

Model	**BJY-PSK11**
Capacity (Litres)	11
Machine Dimension (mm)	360 x 290 x 350
Packing Dimension (mm)	300 x 300 x 360



Stainless Steel Vegetable Pan & Cover

Model	**BJY-VIP4**
Capacity (Litres)	4
Pan Dimension (mm)	190 x 190 x 215
Packing Dimension (mm)	390 x 390 x 460
Packing (Pcs)	24
Model	**BJY-VIC4**
Capacity (Litres)	-
Pan Dimension (mm)	190 x 190
Packing Dimension (mm)	400 x 210 x 210
Packing (Pcs)	24



Stainless Steel Vegetable Pan & Cover

Model	**BJY-VIP7**
Capacity (Litres)	7
Pan Dimension (mm)	240 x 240 x 215
Packing Dimension (mm)	490 x 490 x 520
Packing (Pcs)	24
Model	**BJY-VIC7**
Capacity (Litres)	-
Pan Dimension (mm)	240 x 240
Packing Dimension (mm)	500 x 260 x 210
Packing (Pcs)	24



Stainless Steel Vegetable Pan & Cover

Model	**BJY-VIP11**
Capacity (Litres)	11
Pan Dimension (mm)	290 x 290 x 215
Packing Dimension (mm)	290 x 590 x 530
Packing (Pcs)	24
Model	**BJY-VIC11**
Capacity (Litres)	-
Pan Dimension (mm)	290 x 290
Packing Dimension (mm)	600 x 310 x 210
Packing (Pcs)	24



Stainless Steel Perforated Food Pan

Model	**BJY-FP1/1-2**
Pan Dimension (mm)	530 x 325 x 65
Packing (Pcs)	6
Model	**BJY-FP1/2-2**
Pan Dimension (mm)	325 x 264 x 65
Packing (Pcs)	12



Stainless Steel Perforated Food Pan

Model	**BJY-FP1/1-4**
Pan Dimension (mm)	530 x 325 x 100
Packing (Pcs)	6
Model	**BJY-FP1/2-4**
Pan Dimension (mm)	325 x 265 x 100
Packing (Pcs)	12



Stainless Steel Perforated Food Pan

Model	**BJY-FP1/1-6**
Pan Dimension (mm)	530 x 325 x 150
Packing (Pcs)	6
Model	**BJY-FP1/2-6**
Pan Dimension (mm)	325 x 265 x 150
Packing (Pcs)	12

Stainless Steel Gas Deep Fyer



Single



Double

	Single	Double
Model	**BJY-GDF55-1B**	**BJY-GDF55-2B**
Capacity (Litres)	5.5	5.5 x 2
Thawad Chips Production(kg / hr)	5 - 8	5 - 8 x 2
Gas Consumption (MJ)	19	38
Product Dimension (mm)	300 x 510 x 470	580 x 510 x 470
Packing Dimension (mm)	570 x 370 x 600	660 x 560 x 600
Basket Dimension (mm)	220 x 195 x 120	220 x 195 x 120
Weight (kg)	9.5	14.5

Electrical Deep Fryer



Single



Double

	Single ~ 3.0L	Double ~ 3.0L x 2
Model	**BJY-EDF4-A**	**BJY-EDDF35-A**
Capacity (Litres)	3L	3L x 2
Temperature (Adjustable)	130 ~ 190°C	130 ~ 190°C
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Wattage (W)	1830 - 2180	1650 - 1960
Current (A)	10A	10A x 2
Machine Dimension (mm)	400 x 214 x 260	400 x 405 x 260
Packing Dimension (mm)	423 x 230 x 277	426 x 416 x 276
Net Weight (Kg)	2.3	4.7
Gross Weight (kg)	2.9	5.5

Induction Deep Fryer



Single



Double

	Single Tank	Double Tank
Model	**BJY-IC-1DF3.5KW**	**BJY-IC-2DF3.5KW**
Capacity (Litres)	8L	8L x 2
Temperature Range	60 ~ 190°C	60 ~ 190°C
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Wattage (W)	3500	3500 x 2
Current (A)	16A	16A x 2
Machine Dimension (mm)	288 x 478 x 410	576 x 478 x 410
Packing Dimension (mm)	613 x 350 x 478	638 x 610 x 475
Net Weight (Kg)	13.2	24.26
Gross Weight (kg)	14.3	26.8

Wok Induction Cooker / Induction Cooker

CE

BJY-IC-WOK



BJY-IC-3.5KW





BJY-IC-WOK3.5KW



BJY-IC-5.0KW

	Wok Induction Cooker	Induction Cooker	
Model	**BJY-IC-WOK3.5KW**	**BJY-IC-3.5KW**	**BJY-IC-5.0KW**
Timer	LCD Display (0-180 mins)	LCD Display (0-180 mins)	LCD Display (0-180 mins)
Power Level	1 - 10 (350 - 3500w)	1 - 11 (500 - 3500w)	1 - 15 (500 - 5000w)
Voltage (V)	220 - 240	220 - 240	220 - 240
Frequency (Hz)	50 / 60	50 / 60	50 / 60
Wattage (W)	3500	3500	5000
Current (A)	16	13	23
Machine Dimension (mm)	340 x 432 x 125	340 x 440 x 117	398 x 515 x 168
Packing Dimension (mm)	420 x 335 x 520 (*for 2pcs)	420 x 510 x 160	472 x 600 x 223
Gross Weight (Kg)	8	8	11.5

Model	**BJY-IC-WOK**
Name	Stainless Steel Fry Wok 36cm
Net Weight (Kg)	3.2
Gross Weight (Kg)	4.0
Packing Dimension (mm)	482 x 143 x 495

* ***BJY-IC-5.0KW*** *Isolator 35A/1 phase excluded*

Induction Cooker ~ Built-In

CE



BJY-IC-BIR0.7KW

BJY-IC-BIS1.8KW

BJY-IC-BIS3.5KW

	BJY-IC-BIR0.7KW	BJY-IC-BIS1.8KW	BJY-IC-BIS3.5KW
Model			
Type	Round	Square	Square
Power Level	1 - 9 (500 - 700w)	1 - 9 (500 - 1800w)	1 - 10 (500 - 3500w)
Voltage (V)	220 - 240	220 - 240	220 - 240
Frequency (Hz)	50 / 60	50 / 60	50 / 60
Wattage (W)	700	1800	3500
Current (A)	10	10	16
Machine Dimension (mm)	180Ø x 80	297 x 297 x 80	360 x 380 x 120
Packing Dimension (mm)	230 x 290 x 100	330 x 410 x 100	415 x 340 x 535 (*for 2pcs)
Weight (Kg)	1.5	2.1	6.7

BERJAYA®

Waffle Baker ~ 1 Head



Model	BJY-WB1-N
Temperature (°C)	50~300
Wattage (W)	1200
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	260 x 252 x 240
Packing Dimension (mm)	400 x 300 x 270
Weight (Kg)	7.4

Waffle Baker ~ 2 Heads



Model	BJY-WB2-N
Temperature (°C)	50~300
Wattage (W)	1200 x 2
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	500 x 360 x 240
Packing Dimension (mm)	550 x 410 x 270
Weight (Kg)	15

Hot Dog Warmer with Cover



Model	BJY-HD07-N
Roller Number	7
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50
Wattage (W)	1580
Machine Dimension (mm)	590 x 330 x 260
Packing Dimension (mm)	620 x 390 x 460
Weight (Kg)	15

Pop Corn Machine



Model	BJY-PC80Z
Voltage/Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Wattage (W)	1400
Machine Dimension (mm)	560 x 420 x 680
Packing Dimension (mm)	640 x 500 x 780
Weight (Kg)	21

** Tempered glass for safety*
** Individual switch control*
** Infra-red lamp*
** Easy to remove drip pan*

Pre-Rinse Spray Faucet



Model	BJY-PRS
Material	Brase (Plastic)
Packing Dimension (mm)	681 x 300 x 94
Weight (Kg)	5.45

Coffee Warmer



Model	BJY-CW2W
Number of Warmer	2
Rated Input Power (W)	300
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Overall Dimension (mm)	350 x 170 x 80
Package Dimension (mm)	390 x 200 x 85
Net Weight (Kg)	1.41
Get Weight (Kg)	1.66

** Without Decantor*

Decantor

Model	DI-N

Ice Shaver (Coarse) c/w Ice Tray



Model	BJY-ISC7A
Extraction Capacity (Kg/hr)	7
Speed (R/min)	3000
Wattage (W)	250
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Machine Dimension (mm)	420 x 175 x 270
Packing Dimension (mm)	470 x 250 x 310
Weight (Kg)	10.2

Ice Shaving Machine



Model	BJY-IS 18
Extraction Capacity (Kg/hr)	18
Speed (R/min)	1400
Wattage (W)	250
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Machine Dimension (mm)	350 x 290 x 430
Packing Dimension (mm)	420 x 340 x 900
Weight (Kg)	20

Commercial Blender ~Without Cover CE



Model	BJY-CB2L-B
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	40,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	1800
Machine Dimension (mm)	190 x 220 x 480
Packing Dimension (mm)	308 x 255 x 355
Net weight (kg)	4.65
Gross Weight (kg)	4.90

Commercial Blender ~With Cover CE



Model	BJY-CB2SC-B
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	25,000-28,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	1500
Machine Dimension (mm)	235 x 270 x 520
Packing Dimension (mm)	365 x 305 x 595
Net weight (kg)	9
Gross Weight (kg)	9.8

Juice Extractor with Pulp Container ~ 65kg



Model **(50Hz)**	BJY-JE65C
Model **(60Hz)**	BJY-JE65C60
Extraction Capacity (Kg/hr)	65
Speed (R/min)	4300
Voltage / Phase (V/Ph)	220-240 / 1
Wattage (W)	180
Machine Dimension (mm)	358 x 220 x 300
Packing Dimension (mm)	425 x 335 x 275
Weight (Kg)	7

Buffet Juice Dispenser



Model	BJY-BJD1
Capacity (Litres)	8
Machine Dimension (mm)	270 x 360 x 590
Packing Dimension (mm)	280 x 370 x 610
Weight (Kg)	7.6

Model	BJY-BJD2
Capacity (Litres)	8L X 2
Machine Dimension (mm)	580 x 360 x 590
Packing Dimension (mm)	600 x 370 x 610
Weight (Kg)	15.2

Water Dispenser



BJY-YLR600A



BJY-CWD6.6L

Model	Hot & Cold BJY-YLR600A	Cold BJY-CWD6.6L
Capacity : Hot water tank (Litres)	4	-
: Cold water tank (Litres)	4	6.6
Heating Water Capacity	10L/h (85°C~95°C)	-
Cooling Water Capacity	8L/h (7°C~12°C)	8L/h (5°C~10°C)
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50	50
Wattage (W)	1000	300
Degree of Protection	IPX3	IPX3
Pressure of Water Supply	100 - 400kpa	100 - 400kpa
Machine Dimension (mm)	410 x 300 x 1250	350 x 420 x 1110
Packing Dimension (mm)	490 x 370 x 1150	480 x 370 x 1150
Weight (Kg)	26	26

** BJY-YLR600A - Hot water, Cold water, Warm water*
- It can remove the impurity, special smell chemical, virus, etc and make the water pure

Showcase



Salad Showcase



Sushi Showcase

Model	Salad Showcase BJY-SALAD1200	Sushi Showcase BJY-SUSHI-42L	 BJY-SUSHI132
Temperature °C (Celsius)	+2 to +10	0 to +12	0 to +12
Capacity (L)	5 x 1/4 GN	4 x 1/3 GN	5 x 1/2 GN
Refrigerant	R134a	R134a	R134a
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Wattage (W)	140	180	180
Ampere (A)	1.1	1.3	1.3
External Dimension (mm)	1200 x 335 x 225	1177 x 420 x 265	1800 x 420 x 265
Packing Dimension (mm)	1275 x 410 x 330	1267 x 510 x 360	1800 x 510 x 360
Net Weight (kg)	35	34.5	45

Display Cooler



Model **(50Hz)**	BJY-DC-120L	BJY-DC-160L
Model **(60Hz)**	BJY-DC-120L-60	BJY-DC-160L-60
Temperature °C (Celsius)	0 to +12	0 to +12
Capacity (L)	120	160
Refrigerant	R134a	R134a
Voltage / Phase (V / Ph)	220 - 240 / 1	220 - 240 / 1
Wattage (W)	230	230
Ampere (A)	1.5	1.5
External Dimension (mm)	696 x 568 x 686	874 x 568 x 686
Packing Dimension (mm)	773 x 627 x 735	951 x 627 x 735
Net Weight (kg)	64	71

** Double glass without heated*

Display Warmer



Model **(50Hz)**	BJY-PW-120L	BJY-PW-160L
Model **(60Hz)**	BJY-PW-120L-60	BJY-PW-160L-60
Temperature °C (Celsius)	30 to 90	30 to 90
Capacity (L)	120	160
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Wattage (W)	1100	1500
Ampere (A)	4.75	6.30
External Dimension (mm)	678 x 568 x 670	857 x 568 x 670
Packing Dimension (mm)	749 x 627 x 731	928 x 627 x 731
Net Weight (kg)	48	56

Electrical Plate Warmer



BJY-EDW1



BJY-EDW2

Model	1 Head BJY-EDW1	2 Heads BJY-EDW2
Dish Size (mm)	240 to 310	240 to 310
No. of Plate (pcs)	30	60
Wattage (W)	450	900
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Machine Dimension (mm)	450 x 450 x 930	880 x 450 x 930
Packing Dimension (mm)	610 x 540 x 1180	1145 x 540 x 1180
Weight (Kg)	48	78



BJY-WB23



BJY-WB40 / 60 / 80

Water Boiler - Electrical

Model	BJY-WB23	BJY-WB40	BJY-WB60	BJY-WB80
Capacity (Litres)	21	26	42	50
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60	50 / 60	50 / 60
Wattage (W)	3000	3000	6000	6000
Current (A)	13.6	13.6	27.8	27.8
Machine Dimension (mm)	410 x 295 x 680	410 x 295 x 780	520 x 295 x 840	520 x 295 x 940
Packing Dimension (mm)	495 x 425 x 735	490 x 435 x 830	600 x 435 x 900	580 x 430 x 1010
Weight (Kg)	10	12	15	16

** Isolator 35A/1 phase required for model: BJY-WB60 & BJY-WB80*



BJY-WBPU40-N



BJY-WBPU60-N / 80-N

Water Boiler with PU Insulation ~ Electrical

Model	BJY-WBPU40-N	BJY-WBPU60-N	BJY-WBPU80-N
Capacity (Litres)	32	45	60
Voltage/Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60	50 / 60
Wattage (W)	3000	6000	6000
Current (A)	13.6	27.8	27.8
Machine Dimension (mm)	400 x 360 x 805	450 x 380 x 775	450 x 380 x 975
Packing Dimension (mm)	480 x 420 x 890	520 x 440 x 960	520 x 440 x 1060
Weight (Kg)	12	19	21.5

**Single Phase - Isolator 35A/1 phase required for model: BJY-WBPU60-N & BJY-WBPU80-N*
**Single / Three Phase for model: BJY-WBPU60-N & BJY-WBPU80-N*



BJY-WBPU10DT



BJY-WBPU30DT

Water Boiler with PU Insulation ~ Digital Control

Model	BJY-WBPU10DT	BJY-WBPU30DT
Capacity (Litres)	10	30
Voltage/Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Wattage (W)	2000	3000
Current (A)	8.7	13
Machine Dimension (mm)	180 x 320 x 630	180 x 430 x 740
Packing Dimension (mm)	400 x 250 x 680	400 x 240 x 780
Net Weight (Kg)	8	10.5
Gross Weight (Kg)	9.2	12.1



BJY-U20-B



BJY-U30-B

Stainless Steel Electrical Water Urn ~ Concealed Heater

Model	BJY-U20-B	BJY-U30-B
Capacity (Litres)	20	30
Voltage/Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Wattage (W)	2250	2600
Net Weight (Kg)	3.22	3.92
Gross Weight (Kg)	4.48	5.66
Machine Dimension (mm)	Ø270 x 587	Ø310 x 640
Packing Dimension (mm)	340 x 340 x 635	370 x 370 x 685



Spiral Mixer ~ 1 Speed (Manual Control)

Model	BJY-SM30M	BJY-SM30M60
Bowl Capacity (Litres)	28	28
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	1700	1700
Mixing Speed (R/min)	230	230
Bowl Speed (R/min)	20	20
Max Dough Capacity (Kg)	12.5*	12.5*
Machine Dimension (mm)	730 x 450 x 850	730 x 450 x 850
Packing Dimension (mm)	920 x 560 x 1030	920 x 560 x 1030
Weight (Kg)	167	167

** 12.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*



Spiral Mixer ~ 2 Speed (Manual Control)

Model	BJY-SM40M	BJY-SM40M60
Bowl Capacity (Litres)	45	45
Voltage/Phase (V/Ph)	380-415 / 3	380-415 / 3
Frequency (Hz)	50	60
Input Power (W)	1200 / 1800	1200 / 1800
Mixing Speed (R/min)	240 / 120	240 / 120
Bowl Speed (R/min)	24/12	24/12
Max Dough Capacity (Kg)	20*	20*
Machine Dimension (mm)	900 x 500 x 1200	900 x 500 x 1200
Packing Dimension (mm)	1010 x 580 x 1300	1010 x 580 x 1300
Weight (Kg)	256	256

** 20kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*



Spiral Mixer ~ 2 Speed (Manual Control)

Model	BJY-SM50M	BJY-SM50M60
Bowl Capacity (Litres)	66	66
Voltage/Phase (V/Ph)	380-415 / 3	380-415 / 3
Frequency (Hz)	50	60
Input Power (W)	2800 / 3600	2800 / 3600
Mixing Speed (R/min)	240 / 120	240 / 120
Bowl Speed (R/min)	24/12	24/12
Max Dough Capacity (Kg)	25*	25*
Machine Dimension (mm)	1000 x 600 x 1230	1000 x 600 x 1230
Packing Dimension (mm)	1120 x 710 x 1500	1120 x 710 x 1500
Weight (Kg)	275	275

** 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*



Spiral Mixer ~ 2 Speed (Digital Control)

Model	BJY-SM30D	BJY-SM40D
Bowl Capacity (Litres)	28	45
Voltage/Phase (V/Ph)	380-415 / 3	380-415 / 3
Frequency (Hz)	50	50
Input Power (W)	1300/1700	1200/1800
Mixing Speed (R/min)	230/150	240/120
Bowl Speed (R/min)	20/13	24/12
Max Dough Capacity (Kg)	12.5*	20*
Machine Dimension (mm)	850 x 430 x 940	930 x 490 x 1160
Packing Dimension (mm)	910 x 550 x 1040	1110 x 590 x 1290
Weight (Kg)	167	256

** **BJY-SM30D ~** 12.5kg*
** **BJY-SM40D ~** 20kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*



Spiral Mixer ~ 2 Speed (Digital Control)

Model	BJY-SM50D
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2800/3600
Mixing Speed (R/min)	240/120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1020 x 590 x 1170
Packing Dimension (mm)	1110 x 640 x 1290
Weight (Kg)	275

** 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 5 / 7 litre without Netting



	5 Litre	7 Litre
Model	**BJY-BM5-B**	**BJY-BM7-B**
Bowl Capacity (Litres)	5.5	7.5
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50 / 60	50 / 60
Input Power (W)	300	325
Speed (R/min)	(Whisk) 852 (Beater) 131	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*	0.5*
Machine Dimension (mm)	350 x 230 x 400	400 x 250 x 410
Packing Dimension (mm)	420 x 300 x 480	480 x 300 x 500
Weight (Kg)	14.5	17.5

** 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 10 litre without Netting



Model	BJY-BM10	BJY-BM10-60
Bowl Capacity (Litres)	10	10
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	600	600
Speed (R/min)	(Whisk) 480 (Beater) 244 (Hook) 148	(Whisk) 508 (Beater) 258 (Hook) 156
Max Dough Capacity (Kg)	2.5*	2.5*
Machine Dimension (mm)	430 x 420 x 690	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850	540 x 450 x 850
Weight (Kg)	42	42

** 2.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 20 litre without Netting



Model	BJY-BM20	BJY-BM20-60
Bowl Capacity (Litres)	20	20
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	1100	1100
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	5*	5*
Machine Dimension (mm)	530 x 460 x 880	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030	610 x 500 x 1030
Weight (Kg)	68	68

** 5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 30 litre without Netting



Model	BJY-BM30	BJY-BM30-60
Bowl Capacity (Litres)	28	28
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	1500	1500
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	6*	6*
Machine Dimension (mm)	550 x 450 x 880	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030	640 x 550 x 1030
Weight (Kg)	70	70

** 6kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 40 litre without Netting



Model	BJY-BM40	BJY-BM40-60
Bowl Capacity (Litres)	38	38
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	2100	2100
Speed (R/min)	(Whisk) 483 (Beater) 165 (Hook) 106	(Whisk) 580 (Beater) 198 (Hook) 127
Max Dough Capacity (Kg)	8*	8*
Machine Dimension (mm)	640 x 620 x 1040	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280	830 x 730 x 1280
Weight (Kg)	160	160

** 8kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 5 / 7 litre with Netting



Model	5 Litre **BJY-BM5N-B**	7 Litre **BJY-BM7N-B**
Bowl Capacity (Litres)	5.5	7.5
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50 / 60	50 / 60
Input Power (W)	300	325
Speed (R/min)	(Whisk) 852 (Beater) 131	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*	0.5*
Machine Dimension (mm)	350 x 230 x 400	400 x 250 x 410
Packing Dimension (mm)	420 x 300 x 480	480 x 300 x 500
Weight (Kg)	15	18

** 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 10 litre with Netting



Model	**BJY-BM10N**	**BJY-BM10N-60**
Bowl Capacity (Litres)	10	10
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	600	600
Speed (R/min)	(Whisk) 480 (Beater) 244 (Hook) 148	(Whisk) 508 (Beater) 258 (Hook) 156
Max Dough Capacity (Kg)	2.5*	2.5*
Machine Dimension (mm)	430 x 420 x 690	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850	540 x 450 x 850
Weight (Kg)	42	42

** 2.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 20 litre with Netting



Model	**BJY-BM20N**	**BJY-BM20N-60**
Bowl Capacity (Litres)	20	20
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	1100	1100
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	5*	5*
Machine Dimension (mm)	530 x 460 x 880	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030	610 x 500 x 1030
Weight (Kg)	68	68

** 5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 30 litre with Netting



Model	**BJY-BM30N**	**BJY-BM30N-60**
Bowl Capacity (Litres)	28	28
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	1500	1500
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	6*	6*
Machine Dimension (mm)	550 x 450 x 880	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030	640 x 550 x 1030
Weight (Kg)	70	70

** 6kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 40 litre with Netting



Model	**BJY-BM40N**	**BJY-BM40N-60**
Bowl Capacity (Litres)	38	38
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	60
Input Power (W)	2100	2100
Speed (R/min)	(Whisk) 483 (Beater) 165 (Hook) 106	(Whisk) 580 (Beater) 198 (Hook) 127
Max Dough Capacity (Kg)	8*	8*
Machine Dimension (mm)	640 x 620 x 1040	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280	830 x 730 x 1280
Weight (Kg)	160	160

** 8kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Bakery Mixer 60 litre with Netting



Model	**BJY-BM60N**
Bowl Capacity (Litres)	60
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2300
Speed (R/min)	(Whisk) 458 (Beater) 221 (Hook) 114
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	910 x 740 x 1600
Packing Dimension (mm)	1050 x 820 x 1800
Weight (Kg)	363

** 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.*

Electrical Baking Oven ~ 1 Deck



Model	**BJY-E3KW-1BD**
Capacity (Kg/hr)	10
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	3000
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	1
Weight (kg)	41
Inner Dimension / Deck (mm)	650 x 530 x 180
Machine Dimension (mm)	920 x 700 x 410
Packing Dimension (mm)	980 x 740 x 450

Electrical Baking Oven ~ 1 Deck



Model	**BJY-E3KW-1PRM**
Capacity (Kg/hr)	10
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	3000
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	1
Weight (kg)	45
Inner Dimension / Deck (mm)	670 x 470 x 180
Machine Dimension (mm)	990 x 660 x 435
Packing Dimension (mm)	1060 x 700 x 490

Electrical Baking Oven ~ 1 Deck



Model	**BJY-E6KW-1BD**
Capacity (Kg/hr)	20
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	6600
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	2
Weight (kg)	85
Inner Dimension / Deck (mm)	870 x 670 x 200
Machine Dimension (mm)	1250 x 845 x 615
Packing Dimension (mm)	1310 x 905 x 655

** Isolator 35A/1 phase required*

Electrical Baking Oven ~ 1 Deck



Model	**BJY-E6KW-1PRM**
Capacity (Kg/hr)	20
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	6600
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	2
Weight (kg)	78
Inner Dimension / Deck (mm)	870 x 670 x 220
Machine Dimension (mm)	1280 x 875 x 575
Packing Dimension (mm)	1360 x 910 x 560

** Isolator 35A/1 phase required*

Electrical Baking Oven ~ 2 Deck



Model	**BJY-E13KW-2BD**
Capacity (Kg/hr)	40
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	13200
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	4
Weight (kg)	150
Inner Dimension / Deck (mm)	870 x 670 x 200
Machine Dimension (mm)	1250 x 845 x 1200
Packing Dimension (mm)	1310 x 905 x 1260

Electrical Baking Oven ~ 2 Deck



Model	**BJY-E13KW-2PRM**
Capacity (Kg/hr)	40
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	13200
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	4
Weight (kg)	149
Inner Dimension / Deck (mm)	870 x 670 x 220
Machine Dimension (mm)	1280 x 875 x 1245
Packing Dimension (mm)	1360 x 910 x 1310

Electrical Baking Oven ~ 3 Deck



Model	**BJY-E20KW-3BD**
Capacity (Kg/hr)	60
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	19800
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	6
Weight (kg)	200
Inner Dimension / Deck (mm)	870 x 670 x 200
Machine Dimension (mm)	1250 x 845 x 1615
Packing Dimension (mm)	1310 x 905 x 1655

Electrical Baking Oven ~ 3 Deck



Model	**BJY-E20KW-3PRM**
Capacity (Kg/hr)	60
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	19800
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	6
Weight (kg)	200
Inner Dimension / Deck (mm)	870 x 670 x 220
Machine Dimension (mm)	1280 x 875 x 1640
Packing Dimension (mm)	1360 x 910 x 1670

Electrical Baking Oven ~ 3 Deck



Model	**BJY-E25KW-3BD**
Capacity (Kg/hr)	
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	25200
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	9
Weight (kg)	280
Inner Dimension / Deck (mm)	1290 x 670 x 200
Machine Dimension (mm)	1670 x 845 x 1640
Packing Dimension (mm)	1730 x 905 x 1680

Electrical Baking Oven ~ 3 Deck



Model	**BJY-E25KW-3PRM**
Capacity (Kg/hr)	90
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	24000
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	9
Weight (kg)	275
Inner Dimension / Deck (mm)	1290 x 670 x 220
Machine Dimension (mm)	1700 x 875 x 1640
Packing Dimension (mm)	1780 x 910 x 1650



Gas Heated Baking Oven ~ 1 Deck

Model	BJY-G30-1BD
Capacity (Kg/hr)	10
Thermal Load (MJ/h)	40
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.24
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	48
Thermostat (°C)	20 - 300°C
No. of Baking Tray	1
Weight (kg)	70
Inner Dimension / Deck (mm)	650 x 570 x 180
Machine Dimension (mm)	1000 x 740 x 550
Packing Dimension (mm)	1060 x 800 x 590



Gas Heated Baking Oven ~ 1 Deck

Model	BJY-G30-1PRM
Capacity (Kg/hr)	10
Thermal Load (MJ/h)	16
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.2
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	100
Thermostat (°C)	20 - 400°C
No. of Baking Tray	1
Weight (kg)	85
Inner Dimension / Deck (mm)	670 x 470 x 180
Machine Dimension (mm)	1030 x 650 x 530
Packing Dimension (mm)	1110 x 700 x 530



Gas Heated Baking Oven ~ 1 Deck

Model	BJY-G60-1BD
Capacity (Kg/hr)	20
Thermal Load (MJ/h)	60
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.3
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	60
Thermostat (°C)	20 - 300°C
No. of Baking Tray	2
Weight (kg)	135
Inner Dimension / Deck (mm)	890 x 690 x 200
Machine Dimension (mm)	1340 x 900 x 660
Packing Dimension (mm)	1400 x 960 x 700



Gas Heated Baking Oven ~ 1 Deck

Model	BJY-G60-1PRM
Capacity (Kg/hr)	20
Thermal Load (MJ/h)	30
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.3
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	100
Thermostat (°C)	20 - 400°C
No. of Baking Tray	2
Weight (kg)	115
Inner Dimension / Deck (mm)	910 x 715 x 230
Machine Dimension (mm)	1340 x 975 x 700
Packing Dimension (mm)	1420 x 990 x 640



Gas Heated Baking Oven ~ 2 Deck

Model	BJY-G120-2BD
Capacity (Kg/hr)	30
Thermal Load (MJ/h)	120
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.6
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	120
Thermostat (°C)	20 - 300°C
No. of Baking Tray	4
Weight (kg)	250
Inner Dimension / Deck (mm)	890 x 690 x 200
Machine Dimension (mm)	1340 x 900 x 1420
Packing Dimension (mm)	1400 x 960 x 1420



Gas Heated Baking Oven ~ 2 Deck

Model	BJY-G120-2PRM
Capacity (Kg/hr)	40
Thermal Load (MJ/h)	60
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.6
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	200
Thermostat (°C)	20 - 400°C
No. of Baking Tray	4
Weight (kg)	210
Inner Dimension / Deck (mm)	910 x 715 x 230
Machine Dimension (mm)	1340 x 990 x 1357
Packing Dimension (mm)	1420 x 990 x 1300



Gas Heated Baking Oven ~ 3 Deck

Model	BJY-G180-3BD
Capacity (Kg/hr)	60
Thermal Load (MJ/h)	180
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.9
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	180
Thermostat (°C)	20 - 300°C
No. of Baking Tray	6
Weight (kg)	370
Inner Dimension / Deck (mm)	890 x 690 x 200
Machine Dimension (mm)	1340 x 900 x 1800
Packing Dimension (mm)	1400 x 960 x 1820



Gas Heated Baking Oven ~ 3 Deck

Model	BJY-G180-3PRM
Capacity (Kg/hr)	60
Thermal Load (MJ/h)	90
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.9
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	300
Thermostat (°C)	20 - 400°C
No. of Baking Tray	6
Weight (kg)	285
Inner Dimension / Deck (mm)	910 x 715 x 230
Machine Dimension (mm)	1340 x 990 x 1777
Packing Dimension (mm)	1420 x 990 x 1700



Gas Heated Baking Oven ~ 3 Deck

Model	BJY-G270-3BD
Capacity (Kg/hr)	90
Thermal Load (MJ/h)	210
Pressure (kpa)	2.8
Gas Consumption (kg/h)	1.3
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	210
Thermostat (°C)	20 - 300°C
No. of Baking Tray	9
Weight (kg)	470
Inner Dimension / Deck (mm)	1310 x 690 x 200
Machine Dimension (mm)	1760 x 900 x 1800
Packing Dimension (mm)	1820 x 960 x 1840



Gas Heated Baking Oven ~ 3 Deck

Model	BJY-G270-3PRM
Capacity (Kg/hr)	90
Thermal Load (MJ/h)	130
Pressure (kpa)	2.8
Gas Consumption (kg/h)	1.2
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	300
Thermostat (°C)	20 - 400°C
No. of Baking Tray	9
Weight (kg)	390
Inner Dimension / Deck (mm)	1330 x 715 x 230
Machine Dimension (mm)	1760 x 990 x 1777
Packing Dimension (mm)	1830 x 990 x 1700



BJY-3B6P-E



BJY-3B12P-E

Electrical Baking Oven

Model	BJY-3B6P-E	BJY-3B12P-E
Voltage / Phase (V/Ph)	380 - 415 / 3	380 - 415 / 3
Frequency (Hz)	50 / 60	50 / 60
Input Power (W)	22500	34200
Net Weight (Kg)	423	588
Machine Dimension (mm)	1255 x 1165 x 1730	1615 x 1275 x 1730
Packing Dimension (mm)	1360 x 1285 x 1885	1707 x 1390 x 1885

***With Timer** ***With Ceramic Base**
***With Steam** ***Without Baking Tray**



BJY-1B+12PF-G



BJY-2B+8PF-G

Gas Baking Oven + Proofer

	1 Deck + 12 Pans Proofer	*2 Decks + 8 Pans Proofer*
Model	BJY-1B+12PF-G	BJY-2B+8PF-G
Thermal Load (MJ/h)	60	120
Voltage / Phase (V/Ph)	220 - 240 / 1	220 - 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Input Power (W)	1660	1720
Net Weight (Kg)	202	282
Machine Dimension (mm)	1310 x 960 x 1459	1310 x 960 x 1810
Packing Dimension (mm)	1410 x 1050 x 1660	1410 x 1050 x 1970

***With Timer** ***With Ceramic Base** ***Without Baking Tray**



BJY-2B+8PF-E



BJY-2B+16PF-E

2 Decks Electrical Baking Oven + Proofer

	8 Pans Proofer	*16 Pans Proofer*
Model	BJY-2B+8PF-E	BJY-2B+16PF-E
Voltage / Phase (V/Ph)	380 - 415 / 3	380 - 415 / 3
Frequency (Hz)	50 / 60	50 / 60
Input Power (W)	16200	25600
Net Weight (Kg)	336	475
Machine Dimension (mm)	1225 x 1100 x 1615	1625 x 1300 x 1650
Packing Dimension (mm)	1360 x 1190 x 1790	1710 x 1390 x 1800

***With Timer** ***With Ceramic Base**
***With Steam (Proofer only)** ***Without Baking Tray**



1DPF-16



2DPF-32

Stainless Steel Proofer With Humidifier

	Single Door	*Double Door*
Model	1DPF-16	2DPF-32
No. Of Pan	16 nos	32 nos
Voltage / Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50 / 60	50 / 60
Input Power (W)	2000	2000
Machine Dimension (mm)	530 x 785 x 2050	1068 x 785 x 2050
Packing Dimension (mm)	630 x 900 x 2190	1180 x 900 x 2190
Weight (Kg)	68	104

***Without Baking Tray**

Dough Divider



Model	**BJY-DD120**
Capacity (Pcs/time)	36
Dought Weight (G)	30 - 100
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	520 x 410 x 1300
Packing Dimension (mm)	670 x 580 x 1445
Weight (Kg)	193

Semi Auto Dough Divider Rounder



Model	**BJY-DDR30**
Capacity (Pcs/time)	30
Dought Weight (G)	30 - 100
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	600 x 730 x 1560
Packing Dimension (mm)	800 x 710 x 1560
Weight (Kg)	345

Dough Moulder



Model	**BJY-DM390**
Capacity (Pcs/time)	1000 - 3000
Working Wide (mm)	390
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	1300 x 665 x 1090
Packing Dimension (mm)	1510 x 765 x 1245
Weight (Kg)	208

Dough Sheeter



Model	**BJY-DS500**
Conveyer Belt (Wide)(mm)	500
Conveyer Belt (Length)(mm)	2000
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	400
Machine Dimension (mm)	2540 x 910 x 1150
Packing Dimension (mm)	1090 x 730 x 1270
Weight (Kg)	235

Electrical Conveyor Toaster



Model **(50Hz)**	**BJY-TT-300**
Model **(60Hz)**	**BJY-TT-300-60**
Voltage / Phase (V/Ph)	220 - 240 / 1
Wattage (W)	2240
Machine Dimension (mm)	416 x 368 x 387
Packing Dimension (mm)	520 x 450 x 385
Weight (Kg)	18

Bread Slicer



Model **(50Hz)**	**BJY-BS31**
Model **(60Hz)**	**BJY-BS31-60**
Capacity (Pcs)	31
Voltage / Phase (V/Ph)	220 - 240 / 1
Wattage (W)	250
Machine Dimension (mm)	680 x 650 x 780
Packing Dimension (mm)	740 x 680 x 970
Net Weight (Kg)	44

Toaster ~ 4 Slots



Model	**BJY-T4**
Capacity (Pcs)	4
Heating Duration (Min)	0-5
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	1800
Machine Dimension (mm)	300 x 230 x 220
Packing Dimension (mm)	325 x 285 x 250
Weight (Kg)	4

Toaster ~ 6 Slots



Model	**BJY-T6**
Capacity (Pcs)	6
Heating Duration (Min)	0-5
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	2500
Machine Dimension (mm)	430 x 230 x 220
Packing Dimension (mm)	460 x 285 x 250
Weight (Kg)	6.5

Pizza Oven



Model	**BJY-E-PO22**
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2200
Machine Dimension (mm)	610 x 620 x 278
Packing Dimension (mm)	700 x 710 x 340
Weight (Kg)	30

Model	**BJY-E-PO42**
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	4200
Machine Dimension (mm)	870 x 810 x 386
Packing Dimension (mm)	960 x 910 x 485
Weight (Kg)	53

**** Single phase - Isolator 25A/1 phase required.***

Convection Oven ~ Without Steamer



Model	**BJY-E-CO28**
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2400 - 2600
Machine Dimension (mm)	600 x 550 x 580
Internal Dimension (mm)	450 x 350 x 330
Packing Dimension (mm)	720 x 700 x 710
Weight (Kg)	32



Evaporative Air Cooler

Model	BJY-EAC5000		
Max Airflow (m^3/h)	5000	Seal Strip Size	400 x 10
Motor Power (W) / Speed	220 / 3 speed	Application Area (m^3)	20 - 30
Voltage / Phase (V/Ph)	220 - 240 / 1	Noise (dB)	≤ 50
Frequency (Hz)	50	Machine Dimension (mm)	680 x 425 x 1050
Current (A)	1.6	Packing Dimension (mm)	710 x 445 x 1035
Blower Type	Axial Flow	Net Weight (kg)	20.5
Water Consumption / Hour (L/H)	4 - 6	Gross Weight (kg)	23
Water Tank Capacity (Liter)	45		



Insect Killer

Model	BJY-IK30A	BJY-IK40A
Voltage / Phase (V/Ph)	220 - 240V / 1	220 - 240V / 1
Frequency (Hz)	50	50
Fluoresent Lamp (W)	15w	18w
Coverage Area (Meters)	80m²	100m²
Machine Dimension (mm)	475 x 105 x 325	650 x 105 x 365
Package Dimension (mm)	505 x 120 x 335	655 x 120 x 390
Net Weight (Kg)	2.1	2.4
Gross Weight (Kg)	2.2	2.5



Noodle Machine

Model	BJY-NM26	BJY-NM32
Wattage (kw)	1.1	1.5
Voltage / Phase (V/Ph)	220 - 240V / 1	220 - 240V / 1
Frequency (Hz)	50	50
Machine Dimension (mm)	470 x 420 x 855	510 x 410 x 855
Packing Dimension (mm)	500 x 450 x 980	540 x 450 x 980
Weight (Kg)	86	94



Table Top



Free Standing

Sugar Cane Juice Machine

	Table Top	*Free Standing*
Model	BJY-SCJM-TT	BJY-SCJM-FS
Power (kw)	0.37	0.37
Voltage / Phase (V/Ph)	220 - 240V / 1	220 - 240V / 1
Frequency (Hz)	50	50
Working Capacity (kg / h)	300	300
Roller Speed (r / min)	20	20
Waterproof Grade	TP x 3	TP x 3
Machine Dimension (mm)	405 x 305 x 565	460 x 360 x 1000
Packing Dimension (mm)	540 x 430 x 670	540 x 440 x 920
Weight (Kg)	71.5	95



Table Top



Free Standing

Vacuum Packing Machine

	Table Top	*Free Standing*
Model	BJY-VCM400-TT	BJY-VCM400-FS
Power (kw)	0.9	0.9
Voltage / Phase (V/Ph)	220 - 240V / 1	220 - 240V / 1
Frequency (Hz)	50	50
Lowest Absolute Pressure (Kpa)	1.33	1.3
Heat-Sealing Power (Kw)	0.5	0.5
No of Heater (pcs)	1 or 2	1 or 2
Exhaustment of Vacuum Pump	20 m²/h	20 m²/h
Vacuum Speed	1 - 3 / min	1 - 3 / min
Seal Strip Size	400 x 10	400 x 10
Vacuum Chamber Size (mm)	440 x 420 x 130	400 x 420 x 130
Machine Dimension (mm)	550 x 485 x 520	540 x 490 x 950
Packing Dimension (mm)	620 x 570 x 560	620 x 570 x 1040
Net Weight (kg)	63	72
Gross Weight (kg)	68	78



Meat Slicing Machine
**Economic Semi Auto*

Model	BJY-SM250-EN
Blade Diameter (mm)	250
Slicing Thickness (mm)	0 - 9
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	150
Machine Dimension (mm)	480 x 420 x 400
Packing Dimension (mm)	520 x 460 x 380
Weight (Kg)	15



Meat Slicing Machine
**Economic Semi Auto*

Model	BJY-SM300-EN
Blade Diameter (mm)	300
Slicing Thickness (mm)	0 - 11
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	250
Machine Dimension (mm)	600 x 520 x 450
Packing Dimension (mm)	630 x 530 x 460
Weight (Kg)	23



Meat Mincer

Model **(50Hz)**	BJY-MM12/S
Model **(60Hz)**	BJY-MM12/S-60
Capacity (Kg/hr)	120
Voltage / Phase (V/Ph)	220-240 / 1
Input Power (W)	650
Machine Dimension (mm)	360 x 190 x 415
Packing Dimension (mm)	430 x 255 x 415
Weight (Kg)	21



Meat Mincer

Model **(50Hz)**	BJY-MM22/S
Model **(60Hz)**	BJY-MM22/S-60
Capacity (Kg/hr)	220
Voltage / Phase (V/Ph)	220-240 / 1
Input Power (W)	1100
Machine Dimension (mm)	470 x 240 x 570
Packing Dimension (mm)	590 x 350 x 560
Weight (Kg)	35



Meat Mincer
- Floor Standing

Model	BJY-MM75FS
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Capacity (Kg/hr)	220
Machine Dimension (mm)	305 x 330 x 595
Packing Dimension (mm)	460 x 420 x 700
Weight (Kg)	50



Meat Slicer
- Floor Standing

Model	BJY-MS75AFS
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Capacity (Kg/hr)	220
Machine Dimension (mm)	360 x 310 x 610
Packing Dimension (mm)	450 x 410 x 700
Weight (Kg)	57



Bone Saw

Model	BJY-BSM650
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	650
Speed (R/min)	1420
Thickness of Saw Band (mm)	0.5
Length of Saw Bank (mm)	1650
Cutting Thickness (mm)	5-155
Cutting Height (mm)	<180
Machine Dimension (mm)	525 x 470 x 850
Packing Dimension (mm)	560 x 575 x 910
Weight (Kg)	41



Feather Removal Machine

Model	BJY-FRM60
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1100
Machine Dimension (mm)	600 x 600 x 930
Packing Dimension (mm)	690 x 690 x 990
Weight (Kg)	60



Potato & Vegetable Peeler

Model	BJY-PP10
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	750
Processing Time (Per Batch/min)	0.5~2
Capacity (Kg)	10
Machine Dimension (mm)	630 x 630 x 1080
Packing Dimension (mm)	670 x 660 x 1150
Weight (Kg)	68



Vegetable Preparation Machine

Model	BJY-VPM
Wattage (W)	550
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	595 x 250 x 570
Packing Dimension (mm)	580 x 300 x 540
Weight (Kg)	26

Four Glass Display Chiller



BJY-4GDC78L BJY-4GDC98L BJY-4GDC235CD

Model	BJY-4GDC78L	BJY-4GDC98L	BJY-4GDC235CD
Temperature °C (Celsius)	0 to +12	0 to +12	0 to +12
Capacity (L)	78	98	235
Refrigerant	R134a	R134a	R134a
Voltage / Frequency (V / Hz)	220-240 / 50	220-240 / 50	220-240 / 50
Wattage (W)	164	164	250
Shelves (PVC)	3	4	4
External Dimension (mm)	426 x 380 x 955	426 x 380 x 1172	515 x 485 x 1714
Packing Dimension (mm)	475 x 432 x 1038	475 x 432 x 1180	580 x 540 x 1900
Net Weight (kg)	34	38	78
Unit for 20ft Container	124	62	36
Unit for 40ft Container	258	129	76

** Non Heated Glass*

Display Chiller

Piping System

Blower System



Piping System Blower System

Model	BJY-DCPS220	BJY-DCPS350	BJY-DCBS268
Temperature Range (°C)	0 to +10	0 to +10	0 to +10
Capacity (L)	220	350	250
Refrigerant	R134a	R134a	R134a
Voltage / Frequency (V/Hz)	220-240 / 50	220-240 / 50	220-240 / 50
Wattage (W)	180	245	210
Max. ambient temp	38°C	38°C	38°C
Ampere (A)	1.27	1.7	1.7
Energy Consumption (kw/24h)	2	2.6	1.7
Defrost System	Manual	Manual	Automatic
External Dimension (mm)	530 x 635 x 1721	620 x 635 x 2011	530 x 595 x 1821
Package Dimension (mm)	585 x 665 x 1771	685 x 665 x 2061	585 x 625 x 1880
Gross Weight (Kg)	62	85	72
Unit for 20ft Container	30	24	27
Unit for 40ft Container	72	54	60

** Non Heated Glass*

Juscool Display Chiller - Blower System



BJY-1DCBS360B BJY-2DCBS600B BJY-3DCBS1065

Model	BJY-1DCBS360B	BJY-2DCBS600B	BJY-3DCBS1065
Temperature range (°C)	0 to +10	0 to +10	+2 to +8
Net Capacity (L)	340	570	975
Gross Capacity (L)	360	600	1065
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50	220 - 240 / 50
Compressor Power (watt)	146	169	550
Refrigerant Type	R290a	R290a	R290a
Shelves	4	8	12
External Dimension (mm)	650 x 550 x 1980	1000 x 550 x 1980	1610 x 610 x 1973
Package Dimension (mm)	670 x 580 x 2000	1020 x 580 x 2000	1630 x 655 x 2015
Net Weight (kg)	60	88	157
Gross Weight (kg)	65	93	180

** External Material : Coated Steel*
** Inwall Material : Coated Aluminum*
** With LED Light*
** With Key & Lock*
** With Wheels*

Wine Cooler - Dual Zone



BJY-WC320D/122 BJY-WC428D/171

Model	BJY-WC320D/122	BJY-WC428D/171
Temperature range (°C)	Dual Zone 5 - 22°C	Dual Zone 5 - 22°C
Capacity - Litres	320	415
- Bottles	upper : 55 lower : 67	upper : 88 lower : 83
Refrigerant	R600a/42g	R600a/42g
Voltage / Frequency (V/Hz)	220 - 240 / 50	220 - 240 / 50
Defrost System	Automatic	Automatic
Class Mate	SN/N/ST	SN/N/ST
Machine Dimension (mm)	595 x 690 x 1480	595 x 680 x 1770
Packing Dimension (mm)	660 x 755 x 1535	660 x 745 x 1960
Net Weight (kg)	81.8	90
Gross Weight (kg)	88	107

** Stainless Steel Door Frame*

Ice Cream Machine





Table Top | Free Standing

	Table Top	Free Standing
Model **(50Hz)**	**BJY-ICM18B-TT**	**BJY-ICM18B-FS**
Model **(60Hz)**	**BJY-ICM18B-TT60**	**BJY-ICM18B-FS60**
Flavour	2+1 Mixed Flavour	2+1 Mixed Flavour
Cylinder Volume	2.0L x 2	2.0L x 2
Hopper Volume	6.5L x 2	6.5L x 2
Voltage / Phase (V/Ph)	220 ~ 240 / 1	220 ~ 240 / 1
Power (watt)	1800	1800
Refrigerant	R404a	R404a
Air Pump	Yes	Yes
Compressor (hp)	1	1
Compressor Input Power (kw)	1.0	1.0
Product Dimension (mm)	715 x 560 x 780	715 x 560 x 1380
Packing Dimension (mm)	840 x 620 x 900	840 x 620 x 1480
Net Weight (kg)	105	110
Gross Weight (kg)	115	120

Back Bar Cooler ~ Blower System





1 Door | 2 Door



3 Door

Model	1 Door BJY-1DBC128BS-B	2 Door BJY-2DBC198BS-B	3 Door BJY-3DBC320BS-B
Temperature (°C)	0 to +10	0 to +10	0 to +10
Net Capacity (L)	88	172	265
Gross Capacity (L)	128	198	320
Shelves	2	4	6
Voltage / Phase (V/Ph)	220 ~ 240 / 1	220 ~ 240 / 1	220 ~ 240 / 1
Frequency (Hz)	50 / 60	50 / 60	50 / 60
Wattage (W)	180	230	265
Ampere (A)	1.25	1.66	1.86
Energy Consumption (Kwh / 24H)	1.19	1.83	2.73
Compressor (Hp)	1/3	1/3	1/3
Compressor Power Watt (Watt)	155	155	155
Refrigerant Type / Charging	R290 / 27g	R290 / 55g	R290 / 72g
External Dimension (mm)	500 x 550 x 860	900 x 550 x 860	1340 x 550 x 860
Packing Dimension (mm)	560 x 610 x 950	960 x 610 x 950	1400 x 610 x 950
Net Weight (kg)	36	53	70
Gross Weight (kg)	41	58	75

** External Material : Pre-painted Steel*
** Inwall Material : Pre-painted Steel*
** Insulation Material : Cyclopentane*
** Foaming Density : 39kgs / cbm*

** Auto Defrost*
** Heated Glass*
** With Horizontal LED Light*
** With Key & Lock*
** 4 Adjustable Feet*

Commercial Automatic Dish Washer





Undercounter | Free Standing

Model	Undercounter BJY-DW1200	Free Standing BJY-DW3210S
Washing Tank (Litres)	18	40
Max. Temperature of Washing	60 ~ 65°C	60 ~ 65°C
Washing Time	40 Sec - 120 Sec (8 Steps)	40 Sec - 120 Sec (8 Steps)
RINSE Capacity (Litres)	8	25
Max. Temperature of Rinse	80 ~ 85°C	80 ~ 85°C
RINSE Time	6 Sec - 13 Sec (8 Steps)	6 Sec - 13 Sec (8 Steps)
Voltage / Phase (V/Ph)	220 - 240 / 1	380 - 415 / 3
Frequency (Hz)	50 / 60	50 / 60
Max. Electric Power (Kw/h)	4	9.2
Dimension (mm)	600 x 600 x 830	650 x 725 x 1425
Net Weight (kg)	59	77
Gross Weight (kg)	67	87
Washing Capability (Per Hour)	36-40 Racks	1500 pcs Bowl 350-460pcs Bowl (Big Size) 2000pcs Glass Cup (Max)



Product Features

- Aesthetic design
- Saving type (ENERGY, DETERGENT, RINSE, TIME)
- Sanitary (WASHING, RINSE PUMP)
- Built-In hot water booster
- Easy Installation
- Full automatic
  (WASHING –> RINSE / STERILIZATION SELF / DRYING)
- Enable to install in every shop
- F mode high pressure washing function
- Usable with universal types and dimension of the dish

BERJAYA®

Ice Machine ~ Undercounter



BJY-IM55
(Dice Ice)



BJY-IM95
(Dice Ice)

Model **(Dice Ice 22mm)**	**BJY-IM55**	**BJY-IM95**
Dice Ice Dimension (mm)	22 x 22 x 22	22 x 22 x 22
Water Consumption (24Hr) for air cooled model at ambient 25°C	80kg / 24hr	150kg / 24hr
Output (lb/24Hr)	(120 lb or 55kg) / 24hr	(210 lb or 95kg) / 24hr
Bin Capacity (lb)	40 lb or 18kg	90 lb or 40kg
Condenser Unit	Air Cooling	Air Cooling
Voltage / Phase (V/Ph)	220 ~ 240 / 1	220 ~ 240 / 1
Frequency (Hz)	50 / 60	50 / 60
Power (watt)	565	655
Refrigerant	R404A	R404A
Product Dimension (mm)	500 x 590 x 850	660 x 685 x 920
Packing Machine (mm)	580 x 670 x 835	780 x 745 x 900
Net Weight (Kg)	45	58
Gross Weight (Kg)	50	66

Ice Machine ~ Free Standing



BJY-IM191 + IB-300
BJY-IM191LD + IB-300
(Dice Ice)



BJY-IM455 + IB-375
BJY-IM455LD + IB-375
(Dice Ice)

Model **(Dice Ice 22mm)** Model **(Dice Ice 28mm)** Model **(Ice Bin)**	**BJY-IM191** **BJY-IM191LD** **IB-300**	**BJY-IM455** **BJY-IM455LD** **IB-375**
Dice Ice Dimension (mm)		
BJY-IM191 , BJY-IM455	22 x 22 x 22	22 x 22 x 22
BJY-IM191LD , BJY-IM455LD	28 x 28 x 22	28 x 28 x 22
Water Consumption (24Hr) for air cooled model at ambient 25°C	286kg / 24hr	680kg / 24hr
Output (lb/24Hr)	(420 lb or 191kg) / 24hr	(1000 lb or 455kg) / 24hr
Bin Capacity (lb)	275 lb or 125kg	375 lb or 170kg
Condenser Unit	Air Cooling	Air Cooling
Voltage / Phase (V/Ph)	220 ~ 240 / 1	220 ~ 240 / 1
Frequency (Hz)	50	50
Power (watt)	920	2400
Refrigerant	R404a	R404a
Product Dimension (mm)	560 x 810 x 1558	795 x 810 x 1895
- Machine	560 x 618 x 568	795 x 595 x 745
- Ice Bin	560 x 810 x 990	780 x 810 x 1150
Packing Machine (mm) - Machine	655 x 750 x 620	845 x 750 x 805
Packing Machine (mm) - Ice Bin	565 x 815 x 995	785 x 815 x 1155
Net Weight (Kg) - Machine	57	85
- Ice Bin	24	34
Gross Weight (Kg) - Machine	61	90
- Ice Bin	25	35

Ice Machine ~ Free Standing



BJY-IMF300 + IB-375
(Flake Ice)



BJY-IM682 + IB-775
(Dice Ice)

Model **(Machine)** Model **(Ice Bin)**	**BJY-IMF300** **IB-375**	**BJY-IM682** **IB-775**
Dice Ice Dimension (mm)	-	22 x 22 x 22
Water Consumption (24Hr) for air cooled model at ambient 25°C	300kg / 24hr	1023kg / 24hr
Output (lb/24Hr)	(660 lb or 300kg) / 24hr	(1500 lb or 682kg) / 24hr
Bin Capacity (lb)	375 lb or 170kg	775 lb or 350kg
Condenser Unit	Air Cooling	Air Cooling
Voltage / Phase (V/Ph)	220 ~ 240 / 1	220 ~ 240 / 1
Frequency (Hz)	50	50
Power (watt)	1650	3400
Refrigerant	R404a	R404a
Product Dimension (mm)	760 x 830 x 1795	1260 x 810 x 1825
- Machine	760 x 636 x 645	1260 x 630 x 675
- Ice Bin	760 x 830 x 1150	1230 x 810 x 1150
Packing Machine (mm) - Machine	855 x 765 x 705	1360 x 765 x 725
Packing Machine (mm) - Ice Bin	850 x 890 x 1055	1235 x 815 x 1155
Net Weight (Kg) - Machine	115	100
- Ice Bin	34	42
Gross Weight (Kg) - Machine	125	120
- Ice Bin	35	43

BERJAYA®



Stainless Steel Ashtray Dustbin ~ Perforated Cover

Model	**BJY-ASH-PC**
Dimension (mm)	Ø250 x 610



Stainless Steel Square Ashtray Dustbin ~ Perforated Cover

Model	**BJY-SQASH-PC**
Dimension (mm)	Ø250 x 610



Stainless Steel Square Ashtray Dustbin ~ Flip Cover

Model	**BJY-SQASH-FC**
Dimension (mm)	Ø250 x 610



Stainless Steel Menu Stand

Model	**SP:MS(S)**
Acrylic Sheet Size (mm)	405 x 475
Dimension (mm)	460 x 460 x 1285
Model	**SP:MS(L)**
Acrylic Sheet Size (mm)	485 x 610
Dimension (mm)	550 x 550 x 1504



Knock Down Stainless Steel Cooling Rack - for Food Pan

Model	**K-CR-FP-439**
Dimension (mm)	390 x 550 x 1735
Packing Dimension (mm)	1650 x 590 x 100
Model	**K-CR-FP-304**
Dimension (mm)	390 x 550 x 1735
Packing Dimension (mm)	1650 x 590 x 100



Knock Down Stainless Steel Cooling Rack - for Baking Tray

Model	**K-CR-BT-439**
Dimension (mm)	470 x 620 x 1735
Packing Dimension (mm)	1650 x 660 x 110
Model	**K-CR-BT-304**
Dimension (mm)	470 x 620 x 1735
Packing Dimension (mm)	1650 x 660 x 110



Shelving Rack

Material	**Stainless Steel**
Model	**BJY-3621-6SS**
Dimension (mm)	910 x 530 x 1803
Model	**BJY-4821-6SS**
Dimension (mm)	1220 x 530 x 1803
Model	**BJY-6021-6SS**
Dimension (mm)	1525 x 530 x 1803



Shelving Rack

Material	**Chrome**
Model	**BJY-3621-6C**
Dimension (mm)	910 x 530 x 1803
Model	**BJY-4821-6C**
Dimension (mm)	1220 x 530 x 1803
Model	**BJY-6021-6C**
Dimension (mm)	1525 x 530 x 1803



Stainless Steel Round Service Trolley

Model	**BJY-RST**
Dimension (mm)	Ø400 x 715



Stainless Steel Seasoning Trolley (Knock Down) ~ 8 Compartments

Model	**BJY-SST8-KD-CS**
Dimension (mm)	850 x 450 x 900

** with 8 nos of Bowl*



Stainless Steel Rectangular Service Trolley (Knock Down)

Model	**BJY-ST-KD**
Dimension (mm)	450 x 400 x 765



Cutlery Trolley (Knock Down)

Model	**BJY-CT**
Dimension (mm)	850 x 450 x 900
a) Frame Work (mm)	815 x 815 x 150
b) Plastic container (mm) / Edge handling bin	550 x 400 x 370

Cutlery Trolley (Knock Down)

3 Tier



Model	**SP:3 TCT (S) / 3SDCT**
Overall Dimension (mm)	730 x 420 x 980
Small Container (mm)	510 x 410 x 175
Side Bin (mm)	330 x 230 x 400

Model	**SP:3 TCT (L) / 3LDCT**
Overall Dimension (mm)	830 x 460 x 1015
Small Container (mm)	595 x 430 x 190
Side Bin (mm)	330 x 230 x 400

4 Tier



Model	**SP:4 TCT (S) / 4SDCT**
Overall Dimension (mm)	730 x 420 x 1250
Small Container (mm)	510 x 410 x 175
Side Bin (mm)	330 x 230 x 400

Model	**SP:4 TCT (L) / 4LDCT**
Overall Dimension (mm)	830 x 460 x 1250
Small Container (mm)	595 x 430 x 190
Side Bin (mm)	330 x 230 x 400

Stainless Steel Dining Trolley (Knock Down)

2 Tier Dining Trolley



Model	**BJY-2TDT-KDS** (Small)
Dimension (mm)	750 x 400 x 835
Packing Dimension	750 X 430 X 125

Model	**BJY-2TDT-KDM** (Medium)
Dimension (mm)	850 x 450 x 900
Packing Dimension	830 X 470 X 125

3 Tier Dining Trolley



Model	**BJY-3TDT-KDS** (Small)
Dimension (mm)	750 x 400 x 835
Packing Dimension	730 X 430 X 155

Model	**BJY-3TDT-KDM** (Medium)
Dimension (mm)	850 x 450 x 900
Packing Dimension	830 x 470 x 155

Dish Collection Trolley



Model	**BJY-DCT-KDS** (Small)
Dimension (mm)	750 x 400 x 835
Packing Dimension	760 x 430 x 140

Model	**BJY-DCT-KDM** (Medium)
Dimension (mm)	850 x 450 x 900
Packing Dimension	860 x 480 x 140

Model	**BJY-DCT-KDL** (Large)
Dimension (mm)	950 x 500 x 950
Packing Dimension	960 x 530 x 140



Stainless Steel Baby Chair

Model	**SP : BC**
Dimension (mm)	340 x 527 x 820



Stainless Steel Rectangular Table and Chair

Table Model	**SP:ST(SS)**
Table Size (mm)	1135 x 690 x 750
Chair Model	**SP:C4**
Chair Size (mm)	450 x 570 x 780



Fibreglass Rectangular Table with 4 Plastic V-Chairs

Model	**H-FRT + P/C**
Table Model	**H-FRT4227**
Table Size (mm)	1070 x 685 x 750
Chair Model	**P/C**
Chair Size (mm)	504 x 554 x 872



Fibreglass Set With Individual Seat

Model	**4ST4824WO**
Table Size (mm)	1219 x 610 x 750
Seat Top (Diameter) (mm)	Ø343
Metal Frame	Mild Steel 2" x 2" (50 x 50mm) Powder Coated

BERJAYA®

BERJAYA CKE INTERNATIONAL SDN. BHD.

Company No: 202301018447 (1512369-X)

OFFICE : 191-5, 5th Floor, Wisma CKE,
Jalan Lancang Off Jalan Cheras,
56100 Kuala Lumpur, Malaysia.

FACTORY : PT 16736, Jalan Permata 1,
Arab Malaysian Industrial Park,
71800 Nilai, Negeri Sembilan, Malaysia.

HUNTING LINE : +603 - 9145 8888

TELEPHONE : +603 - 9130 1213

:

EMAIL : export@berjayacke.com

www.berjayacke.com

As Product improvement is an on going process,
we reserve the right to change specifications or design without notice.

Export Equipment/REV 17/2023/06-A



